

Product Verification

Sustainability

Product Systems

EGOSILICON 151

EGO Dichtstoffwerke GmbH & Co. Betriebs KG

EGOSILICONE 151 is a ready-to-use, extremely high-quality, abrasion-resistant and plasticiser-free single-component silicone sealant with best processing characteristics that vulcanises through reaction with air humidity to form an elastic end product. EGOSILICONE 151 is resistant to chemicals (diluted acids and lyes, household cleaning agents and the like), fungicidal and waterproof with optimum skinforming time and secure vulcanisation; it ensures excellent processing characteristics and very good modeling and smoothing properties. Permanent high-quality sealing in the fields of construction and sanitary applications. For sealing, edge and connection joints in glass, ceramics, porcelain, enamel, tiles, aluminium, stainless steel, polyacrylate, polycarbonate, polyester, hard PVC and timber.

EGOSILICONE 151 fulfills the requirements according to EMICODE EC 1.

https://www.ego.de/produkt/egosilicon151







Ecolabels & Product-Assessments

AgBB tested

EMICODE

EMICODE EC1

EPD



EPD Institut Bauen und

Umwelt e.V.



ISO 14001 - Environmental Management System



ISO 9001 - Quality Management System





French VOC-Label A+





SCAQMD 1168



Product Properties

Ingredients:

SVHC according REACH < 0,1 %: Yes

Percentage of the product's composition, that is known to $\,$ 100 wt% the chemical ingredient level

Free (< 0,1 %) of chlorinated paraffins (= CP inkl. SCCP, Yes MCCP, LCCP):

Free (< 0,1 %) of biocidal:

Free (< 0,1 %) of polybrominated diphenyl ethers (= Yes

PBDE):

Recycled content pre-consumer: N/A

Recycled content post-consumer: N/A

Free (< 0,1 %) of hydrocarbon (KWS) plasticizer:

VOC content according 2004/42/EG: o g/l

VOC content according 2004/42/EG: 0 g/m2

To what level of detail is the product composition known? 100 ppm

Rapidly renewable content N/A

Non renewable virgin raw material content N/A

Free (< 0,1 %) of polybrominated biphenyls (= PBB): Yes



Free (< 0,1 %) of hexabromocyclododecane (= HBCD): Yes Free (< 0,1 %) of tris (2-carboxyethyl) phosphine (= TCEP): Yes Free (< 0,1 %) of lead: Yes Free (< 0,1 %) of cadmium: Yes Free (< 0,1 %) of chromium-VI compounds: Yes Free of solvent according to VdL-RLo1: Yes Free (< 0,1 %) of aromatic compounds: Yes Free (< 0,1 %) from halogenated propellants: Yes Free (< 0,1 %) of halogenated flame retardants: No Content of VOC: 0 % Content of solvents: 0 % Free (< 0,1 %) of halogens: Yes Free of plasticizer according to VdL-RLo1: Yes

Manufacturer:

Environmental Management System according ISO 14001: Yes

Final manufacturing location of the product: latitude 47.490138178497375 ° DDD Final manufacturing location of the product: longitude 11.178027746972168 ° DDD

Emissions:

Formaldehyde emissions after 28 days according DIN EN 0.002 mg/m³

717-1:

/ AgBB:

R-Value according to AgBB: 0,01

TVOC after 3 days according ISO 16000-3 / AgBB: 0,28 mg/m³
TVOC after 28 days according ISO 16000-3 / AgBB: 0,038 mg/m³

Carcinogens 1A and 1B after 3 days according ISO-16000 0,001 mg/m³

Carcinogens 1A and 1B after 28 days according ISO-16000 0.001 mg/m³

Carcinogens 1A and 1B after 28 days according ISO-16000 0.001 mg/m / AgBB:

SVOC after 3 days according ISO 16000-3 / AgBB: N/A
SVOC after 28 days according ISO 16000-3 / AgBB: N/A

Life Cycle Assessment:

Functional use period N/A

Circularity:



Contact Details Manufacturer

EGO Dichtstoffwerke GmbH & Co. Betriebs KG

Kaltenbrunn 27 82467 Garmisch-Partenkirchen DE



Disclaimer

Notice: This verification is generated by the Assessment Service of BMS. The distribution or publication by third parties is not permitted. The information is based on the manufacturer's specifications. Despite a diligent treatment of all information BMS can not make any warranties about the completeness, reliability and accuracy of this information. The user of the data sheet, the user / purchaser of the product and the consultant / planner, who is advising on this product has the duty to check the product for the intended application at their own responsibility. When a new version of this product verification is produced, the previous version loses its validity.