

## **Product Verification**

# Sustainability

Self declared according to BNB BN 2015

Product Systems

### **EGOSILICON 300**

### EGO Dichtstoffwerke GmbH & Co. Betriebs KG

EGOSILICONE 300 is a ready-to-use, high-quality single-component silicone sealant that vulcanises through reaction with air humidity to form an elastic end product. The product is coloured, has fungicidal properties and is free of 2 methylkethyl ketone oximes (MEKO) and methylisobuthyl ketone oximes (MIBKO). Glass sealing, connection and expansion joints, concrete, plaster, masonry, metals, tension-free plastics and painted/varnished timber.

EGOSILICONE 300 transparent fulfills the requirements according to EMICODE EC 1 PLUS.

https://www.ego.de/produkt/egosilicon3oc







# Environmental Quality Criteria Product Verification 1.1.1/11.2/11.3/11.4/1.15/1.2.1 Life Cycle Assessment (Updated on: 01.03.2017) EPD available: Yes 1.16 Local environmental impact (Updated on: 28.09.2017) Quality level 3 of 5 Legend: yes = Product contributes toward satisfying the credit, N/A = Product not relevant in the credit, no = Credit requirements are not proven

### Summary

### The product contributes to the certification:

- The product has an Environmental Product Declaration (EPD) which can be used to calculate the building life cycle assessment: EPD available: Yes
- Achieved quality level in BNB Criteria 1.1.6 Local environmental impact for the entire product: Quality level 3 of 5



### Ecolabels & Product-Assessments

AgBB tested

EPD Institut Bauen und Umwelt e.V.

French VOC-Label A+

ISO 14001 - Environmental Management System









ISO 9001 - Quality Management System

SCAQMD 1168





### Product Properties

### Ingredients:

SVHC according REACH < 0,1 %:	Yes
Free (< 0,1 %) of chlorinated paraffins (= CP inkl. SCCP, MCCP, LCCP):	Yes
Free (< 0,1 %) of biocidal:	No
Free (< 0,1 %) of polybrominated diphenyl ethers (= PBDE):	Yes
Free (< 0,1 %) of hydrocarbon (KWS) plasticizer:	Yes
VOC content according 2004/42/EG:	o g/l
VOC content according 2004/42/EG:	o g/m2
Percentage of the product's composition, that is known to the chemical ingredient level	100 wt%
Free (< 0,1 %) of polybrominated biphenyls (= PBB):	Yes
Free (< 0,1 %) of hexabromocyclododecane (= HBCD):	Yes
Free (< 0,1 %) of tris (2-carboxyethyl) phosphine (= TCEP):	Yes
Free (< 0,1 %) of lead:	Yes
Free (< 0,1 %) of cadmium:	Yes
Free (< 0,1 %) of chromium-VI compounds:	Yes
Free of solvent according to VdL-RL01:	Yes
Free (< 0,1 %) of aromatic compounds:	Yes
Free (< 0,1 %) from halogenated propellants:	Yes
Free (< 0,1 %) of tin:	Yes



Free (< 0,1 %) of halogenated flame retardants: Yes Content of VOC: 0 % Content of solvents: 0 % Free (< 0,1 %) of halogens: Yes Free of plasticizer according to VdL-RLo1: Yes Recycled content pre-consumer: N/A Recycled content post-consumer: N/A To what level of detail is the product composition known? 100 ppm Rapidly renewable content N/A Non renewable virgin raw material content N/A

### Circularity:

Has the product been designed for reuse, refurbishment or remanufacturing?

Is the product designed for a recycling of equal quality?

No Was the product designed for biodegradation?

No Was the Product designed for emission or direct of dispersal?

Was the product designed for clean incineration?

No

### Manufacturer:

Environmental Management System according ISO 14001: Yes

Final manufacturing location of the product: latitude 47.4902251743193 ° DDD Final manufacturing location of the product: longitude 11.177539584701767 ° DDD

### Life Cycle Assessment:

Functional use period N/A

### **Emissions:**

Formaldehyde emissions after 28 days according DIN EN 0.002 mg/m³ 717-1:

R-Value according to AgBB: 0,0

TVOC after 3 days according ISO 16000-3 / AgBB: 0,48 mg/m³

TVOC after 28 days according ISO 16000-3 / AgBB: 0,16 mg/m³

SVOC after 28 days according ISO 16000-3 / AgBB: 0,005 mg/m³

Carcinogens 1A and 1B after 3 days according ISO-16000 0,001 mg/m³ / AgBB:





Carcinogens 1A and 1B after 28 days according ISO-16000  $\,$  0.001 mg/m³ / AgBB:


SVOC after 3 days according ISO 16000-3 / AgBB: N/A



### System description

In cooperation between the Bundesbauministerium/Bundesinstitut für Bau-, Stadt- und Raumforschung (BBSR) and the German Sustainable Building Council e. V. (DGNB) the System "Bewertungssystem Nachhaltiges Bauen (BNB)" for federal buildings was developed. The BNB system evaluates buildings holistically on the basis of individual criteria within the categories Ecological Quality, Economic Quality, Sociocultural and Functional Quality, Technical Quality, Process Quality and Location Quality. Buildings can achieve a certification in Bronze, Silver and Gold.

Source: www.bnb-nachhaltigesbauen.de





# **Detailed Verification**

Self declared according to BNB BN 2015

			0		DOM:
	/ironi	THE OWNER		II KA	II Is al. V.
			-		

### 1.1.1/1.1.2/1.1.3/1.1.4/1.1.5/1.2.1 Life Cycle Assessment (Updated on: 01.03.2017)

The product has an Environmental Product Declaration (EPD) which can be used to calculate the building life cycle assessment:

assessment.	
EGOSILICON 300	EPD available: Yes
An environmental product declaration exists for the product:	
	Yes
EGOSILICON 300	res
EPD Owner of the Declaration:	
EGOSILICON 300	DBC, EFCC, FEICA, IVK
EPD Publisher:	
EGOSILICON 300	Institut Bauen und Umwelt e.V. (IBU)
EPD Programme holder:	
EGOSILICON 300	Institut Bauen und Umwelt e.V. (IBU)
EPD Declaration number:	
EGOSILICON 300	EPD-DBC-20220179-IBF1-EN
EPD Issue date:	
EGOSILICON 300	31.08.2022
EPD valid to:	
EGOSILICON 300	30.08.2027

### 1.1.6 Local environmental impact (Updated on: 28.09.2017)

Achieved quality level in BNB Criteria 1.1.6 Local environmental impact for the entire product:

EGOSILICON 300 Quality level 3 of 5

Achieved quality level in BNB Criterion 1.1.6 Local environmental impact:

EGOSILICON 300 Quality level 3



Manufacturer statement regarding REACH is available:

EGOSILICON 300 Yes

Row 8: On-site processed sealants, joint sealants, adhesives - Adhesives and sealants made of PU, SMP (silane-modified polymers), acrylate (including dispersion adhesives) or silicone

Achieved quality level in BNB 1.1.6 Row 8 for the entire product:

EGOSILICON 300 Quality level 3

Achieved quality level in BNB 1.1.6 Row 8:

EGOSILICON 300 Quality level 3

Adhesives and sealants - (PU, SMP, acrylate, dispersion, silicone) (BNB BN 2015 1.1.6 Row 8):

EGOSILICON 300 Yes

The product is a PU adhesive:

EGOSILICON 300 No

Classification according to GISCODE:

EGOSILICON 300 no entry

Free of polybrominated diphenyl ethers (= PBDE), , Polybromierte Biphenyle (= PBB) and Tris-(2-carboxyethyl)-phosphin (= TCEP):

EGOSILICON 300 Yes

Free of chlorinated paraffins (CP):

EGOSILICON 300 Yes

The product is a amine- or oxime-curing silicone:

EGOSILICON 300 Yes

Certified RAL-UZ (Blue Angel) Standard:

EGOSILICON 300 no entry

Certified EMICODE standard:

EGOSILICON 300 no entry

Certified with EMICODE EC1/EC1PLUS, EC1-R/EC1PLUS-R:

EGOSILICON 300 No

Declaration of biocidal active substances present (if used):

EGOSILICON 300 Yes



Free of biocidal:

GOSILICON 300	No
---------------	----

Row 9: On-site processed adhesives and sealants - Adhesives and sealants for the creation of airtightness on the facade inside and outside: z. B. PU, PU hybrid, MS polymer, SMP or similar

Achieved quality level in BNB 1.1.6 Row 9 for the entire product:

EGOSILICON 300	Quality level 5
Achieved quality level in RNR 1.1.6 Pow 0:	

Achieved quality level in BNB 1.1.6 Row 9:

EGOSILICON 300	Quality level 5
----------------	-----------------

Adhesives and sealants (PU, PU hybrid, MS polymer, SMP or the like) - for making the façade airtight (BNB BN 2015 1.1.6 Row 9):

EGOSILICON 300	Yes
----------------	-----

### VOC content:

EGOSILICON 300	≤ 0 g/l
----------------	---------



### Contact Details Manufacturer

### EGO Dichtstoffwerke GmbH & Co. Betriebs KG

Kaltenbrunn 27 82467 Garmisch-Partenkirchen DE



### Disclaimer

This verification is the evaluation and ranking of products in terms of the certification system BNB 2015 (New construction of office buildings). The BNB (Bewertungssytem Nachhaltiges Bauen) generally does not certify products. Therefore the project team or the manufacturer is responsible to declare compliance with respect to the BNB criteria. Notice: This verification is generated by the Assessment Service of BMS. The distribution or publication by third parties is not permitted. The data sheet is not a BNB certification document. The information is based on the manufacturer's specifications. Despite a diligent treatment of all information BMS can not make any warranties about the completeness, reliability and accuracy of this information. The requirements of BNB can be interpreted differently and depend on the project and scope of application. Therefore, BMS cannot accept any liability for the evaluation in terms of the BNB criteria. The user of the data sheet, the user / purchaser of the product and the consultant / planner, who is advising on this product has the duty to check the product for the intended application at their own responsibility. When a new version of this product verification is produced, the previous version loses its validity.