

Product Verification

Sustainability

Self declared according to BNB BN 2015

Product Systems

EGOSILICON 300

EGO Dichtstoffwerke GmbH & Co. Betriebs KG

EGOSILICONE 300 is a ready-to-use, high-quality single-component silicone sealant that vulcanises through reaction with air humidity to form an elastic end product. The product is coloured, has fungicidal properties and is free of 2 methylkethyl ketone oximes (MEKO) and methylisobuthyl ketone oximes (MIBKO). Glass sealing, connection and expansion joints, concrete, plaster, masonry, metals, tension-free plastics and painted/varnished timber.

EGOSILICONE 300 transparent fulfills the requirements according to EMICODE EC 1 PLUS.

https://www.ego.de/produkt/egosilicon300







Product Assessment

Environmental Quality

Criteria	Product Verification
1.1.1/1.1.2/1.1.3/1.1.4/1.1.5/1.2.1 Life Cycle Assessment (Updated on: 01.03.2017)	EPD available: Yes
1.1.6 Local environmental impact (Updated on: 28.09.2017)	Quality level 3 of 5

Legend: yes = Product contributes toward satisfying the credit, N/A = Product not relevant in the credit, no = Credit requirements are not proven

Summary

The product contributes to the certification:

- The product has an Environmental Product Declaration (EPD) which can be used to calculate the building life cycle assessment: EPD available: Yes
- Achieved quality level in BNB Criteria 1.1.6 Local environmental impact for the entire product: Quality level 3 of 5



Ecolabels & Product-Assessments



ISO 14001 - Environmental Management System



epd

EPD





EPD Institut Bauen und Umwelt e.V.

ARTY **VERIFIED**

ISO 14025 and EN 15804

French VOC-Label A+





Institut B und Umw



Product Properties

Ingredients:

SVHC according REACH < 0,1 %:	Yes
Free (< 0,1 %) of chlorinated paraffins (= CP inkl. SCCP, MCCP, LCCP):	Yes
Free (< 0,1 %) of biocidal:	No
Free (< 0,1 %) of polybrominated diphenyl ethers (= PBDE):	Yes
Free (< 0,1 %) of hydrocarbon (KWS) plasticizer:	Yes
VOC content according 2004/42/EG:	o g/l
VOC content according 2004/42/EG:	o g/m2
Percentage of the product's composition, that is known to the chemical ingredient level	100 wt%
Free (< 0,1 %) of polybrominated biphenyls (= PBB):	Yes
Free (< 0,1 %) of hexabromocyclododecane (= HBCD):	Yes
Free (< 0,1 %) of tris (2-carboxyethyl) phosphine (= TCEP):	Yes
Free (< 0,1 %) of lead:	Yes
Free (< 0,1 %) of cadmium:	Yes
Free (< 0,1 %) of chromium-VI compounds:	Yes
Free of solvent according to VdL-RL01:	Yes
Free (< 0,1 %) of aromatic compounds:	Yes
Free (< 0,1 %) from halogenated propellants:	Yes
Free (< 0,1 %) of tin:	Yes
Free (< 0,1 %) of halogenated flame retardants:	Yes



Content of VOC:	0 %
Content of solvents:	0 %
Free (< 0,1 %) of halogens:	Yes
Recycled content pre-consumer:	N/A
Recycled content post-consumer:	N/A
To what level of detail is the product composition known?	100 ppm
Rapidly renewable content	N/A
Non renewable virgin raw material content	N/A

Circularity:

Has the product been designed for reuse, refurbishment or remanufacturing?	No
Is the product designed for a recycling of equal quality?	No
Was the product designed for biodegradation?	No
Was the Product designed for emission or direct dispersal?	No
Was the product designed for clean incineration?	No

Manufacturer:

Environmental Management System according ISO 14001:	Yes
Final manufacturing location of the product: latitude	47.4902251743193 ° DDD
Final manufacturing location of the product: longitude	11.177539584701767 ° DDD

Life Cycle Assessment:

Functional use period	N/A	
-----------------------	-----	--

Emissions:

Formaldehyde emissions after 28 days according DIN EN 717-1:	0.002 mg/m ³
R-Value according to AgBB:	0,0
TVOC after 3 days according ISO 16000-3 / AgBB:	0,48 mg/m³
TVOC after 28 days according ISO 16000-3 / AgBB:	0,16 mg/m³
SVOC after 28 days according ISO 16000-3 / AgBB:	0,005 mg/m³
Carcinogens 1A and 1B after 3 days according ISO-16000 / AgBB:	0,001 mg/m³
Carcinogens 1A and 1B after 28 days according ISO-16000 / AgBB:	0.001 mg/m³
SVOC after 3 days according ISO 16000-3 / AgBB:	N/A






System description

In cooperation between the Bundesbauministerium/Bundesinstitut für Bau-, Stadt- und Raumforschung (BBSR) and the German Sustainable Building Council e. V. (DGNB) the System "Bewertungssystem Nachhaltiges Bauen (BNB)" for federal buildings was developed. The BNB system evaluates buildings holistically on the basis of individual criteria within the categories Ecological Quality, Economic Quality, Sociocultural and Functional Quality, Technical Quality, Process Quality and Location Quality. Buildings can achieve a certification in Bronze, Silver and Gold.

Source: www.bnb-nachhaltigesbauen.de

System categories



Source: BNB 2015



Detailed Verification

Self declared according to BNB BN 2015

Environmental Quality

1.1.1/1.1.2/1.1.3/1.1.4/1.1.5/1.2.1 Life Cycle Assessment (Updated on: 01.03.2017)

The product has an Environmental Product Declaration (EPD) which can be used to calculate the building life cycle assessment:

EGOSILICON 300	EPD available: Yes
An environmental product declaration exists for the product:	
EGOSILICON 300	Yes
	·
EPD Owner of the Declaration:	
EGOSILICON 300	DBC, EFCC, FEICA, IVK
EPD Publisher:	
EGOSILICON 300	Institut Bauen und Umwelt e.V. (IBU)
EPD Programme holder:	
EGOSILICON 300	Institut Bauen und Umwelt e.V. (IBU)
EPD Declaration number:	
EGOSILICON 300	EPD-DBC-20220179-IBF1-EN
EPD Issue date:	
EGOSILICON 300	31.08.2022
	·
EPD valid to:	
EGOSILICON 300	30.08.2027

1.1.6 Local environmental impact (Updated on: 28.09.2017)

Achieved quality level in BNB Criteria 1.1.6 Local environmental impact for the entire product:

EGOS	SILICON 300	Quality level 3 of 5

Achieved quality level in BNB Criterion 1.1.6 Local environmental impact:

	EGOSILICON 300	Quality level 3
--	----------------	-----------------



Manufacturer statement regarding REACH is available:

Manufacturer statement regularing heading wandble.	
EGOSILICON 300	Yes
Row 8: On-site processed sealants, joint sealants, adhesives - Ad modified polymers), acrylate (including dispersion adhesives) or s	
Achieved quality level in BNB 1.1.6 Row 8 for the entire product:	
EGOSILICON 300	Quality level 3
Achieved quality level in BNB 1.1.6 Row 8:	
EGOSILICON 300	Quality level 3
Adhesives and sealants - (PU, SMP, acrylate, dispersion, silicone) (BNB BN 2015 1.1.6 Row 8):
EGOSILICON 300	Yes
The product is a PU adhesive:	
EGOSILICON 300	No
Classification according to GISCODE:	
EGOSILICON 300	no entry
Free of polybrominated diphenyl ethers (= PBDE), , Polybromierte phosphin (= TCEP): EGOSILICON 300	e Biphenyle (= PBB) and Tris-(2-carboxyethyl)-
Free of chlorinated paraffins (CP):	
EGOSILICON 300	Yes
The product is a amine- or oxime-curing silicone:	
EGOSILICON 300	Yes
Certified RAL-UZ (Blue Angel) Standard:	
EGOSILICON 300	no entry
Cartified EMICODE standard:	
Certified EMICODE standard:	no ontra
EGOSILICON 300	no entry
Certified with EMICODE EC1/EC1PLUS, EC1-R/EC1PLUS-R:	
EGOSILICON 300	No
Declaration of biocidal active substances present (if used):	
EGOSILICON 300	Yes
-	



Free of biocidal:	
EGOSILICON 300	No

Row 9: On-site processed adhesives and sealants - Adhesives and sealants for the creation of airtightness on the facade inside and outside: z. B. PU, PU hybrid, MS polymer, SMP or similar

Achieved quality level in BNB 1.1.6 Row 9 for the entire product:

Quality level 5
)

Adhesives and sealants (PU, PU hybrid, MS polymer, SMP or the like) - for making the façade airtight (BNB BN 2015 1.1.6 Row 9):

EGOSILICON 300	Yes
----------------	-----

VOC content:

EGOSILICON 300	≤ 0 g/l



Contact Details Manufacturer

EGO Dichtstoffwerke GmbH & Co. Betriebs KG

Kaltenbrunn 27 82467 Garmisch-Partenkirchen DE http://www.ego.de/



Disclaime

This verification is the evaluation and ranking of products in terms of the certification system BNB 2015 (New construction of office buildings). The BNB (Bewertungssytem Nachhaltiges Bauen) generally does not certify products. Therefore the project team or the manufacturer is responsible to declare compliance with respect to the BNB criteria. Notice: This verification is generated by the Assessment Service of BMS. The distribution or publication by third parties is not permitted. The data sheet is not a BNB certification document. The information is based on the manufacturer's specifications. Despite a diligent treatment of all information BMS can not make any warranties about the completeness, reliability and accuracy of this information. The requirements of BNB can be interpreted differently and depend on the project and scope of application. Therefore, BMS cannot accept any liability for the evaluation in terms of the BNB criteria. The user of the data sheet, the user / purchaser of the product and the consultant / planner, who is advising on this product has the duty to check the product for the intended application at their own responsibility. When a new version of this product verification is produced, the previous version loses its validity.