

Product Verification

Sustainability

Self declared according to BNB BN 2015

Product Systems

EGOSILICON 333

EGO Dichtstoffwerke GmbH & Co. Betriebs KG

EGOSILICONE 333 is a neutral, ready-to-use, high-quality single-component silicone sealant that vulcanises through reaction with air humidity to form an elastic end product. The product is free of 2 methylkethyl ketone oximes (MEKO) and methylisobutyl ketone oximes (MIBKO). - extreme adhesion power - high mechanic strength - stable - tested as per ift regulation DI-o1/1 and DI-o2/1 - fast complete vulcanisation - tack-free after the shortest time - good processing quality For modern glass architecture and weather-resistant sealing of silicone-bonded outdoor facades (two-sided structural glazing), for conservatories and roof glazing. For sealing of silicone-bonded insulating glass and VSG.

EGOSILICONE 333 fulfills the requirements according to EMICODE EC 1 PLUS.

<https://www.ego.de/produkt/egosilicon333>



Product Assessment

Environmental Quality

Criteria

Product Verification

1.1.1/1.1.2/1.1.3/1.1.4/1.1.5/1.2.1 Life Cycle Assessment (Updated on: 01.03.2017)	EPD available: Yes
1.1.6 Local environmental impact (Updated on: 28.09.2017)	Quality level 3 of 5

Legend: yes = Product contributes toward satisfying the credit, N/A = Product not relevant in the credit, no = Credit requirements are not proven

Summary

The product contributes to the certification:

- The product has an Environmental Product Declaration (EPD) which can be used to calculate the building life cycle assessment: EPD available: Yes
- Achieved quality level in BNB Criteria 1.1.6 Local environmental impact for the entire product: Quality level 3 of 5

Ecolabels & Product-Assessments

AgBB tested



ISO 9001 - Quality
Management System



EMICODE EC1plus



SCAQMD 1168



French VOC-Label A+



ISO 14001 - Environmental
Management System



Product Properties

Manufacturer:

Environmental Management System according ISO 14001:	Yes
Final manufacturing location of the product: latitude	47.49054076514584 ° DDD
Final manufacturing location of the product: longitude	11.177829263566535 ° DDD
Are reverse logistics in place for the product?	No

Ingredients:

Recycled content post-consumer:	N/A
Recycled content pre-consumer:	N/A
Free (< 0,1 %) of polybrominated diphenyl ethers (= PBDE):	Yes
Free (< 0,1 %) of chlorinated paraffins (= CP inkl. SCCP, MCCP, LCCP):	Yes
Free (< 0,1 %) of biocidal:	Yes
VOC content according 2004/42/EG:	0 g/l
Content of solvents:	0 %
Free (< 0,1 %) of hydrocarbon (KWS) plasticizer:	Yes
Content of VOC:	0 %
VOC content according 2004/42/EG:	0 g/m2
Percentage of the product's composition, that is known to the chemical ingredient level	100 wt%
To what level of detail is the product composition known?	100 ppm

Rapidly renewable content	N/A
Non renewable virgin raw material content	N/A
SVHC according REACH < 0,1 %:	Yes
Free (< 0,1 %) of polybrominated biphenyls (= PBB):	Yes
Free (< 0,1 %) of hexabromocyclododecane (= HBCD):	Yes
Free (< 0,1 %) of tris (2-carboxyethyl) phosphine (= TCEP):	Yes
Free (< 0,1 %) of lead:	Yes
Free (< 0,1 %) of cadmium:	Yes
Free (< 0,1 %) of chromium-VI compounds:	Yes
Free of solvent according to VdL-RL01:	Yes
Free (< 0,1 %) of aromatic compounds:	Yes
Free (< 0,1 %) from halogenated propellants:	Yes
Free (< 0,1 %) of halogenated flame retardants:	Yes
Free (< 0,1 %) of halogens:	Yes
Free of plasticizer according to VdL-RL01:	Yes

Emissions:

Formaldehyde emissions after 28 days according DIN EN 717-1:	0,002 mg/m ³
R-Value according to AgBB:	0,00
TVOC after 3 days according ISO 16000-3 / AgBB:	0,48 mg/m ³
TVOC after 28 days according ISO 16000-3 / AgBB:	0,016 mg/m ³
SVOC after 3 days according ISO 16000-3 / AgBB:	N/A
SVOC after 28 days according ISO 16000-3 / AgBB:	0,005 mg/m ³
Carcinogens 1A and 1B after 3 days according ISO-16000 / AgBB:	0,001 mg/m ³
Carcinogens 1A and 1B after 28 days according ISO-16000 / AgBB:	0,001 mg/m ³

Life Cycle Assessment:

Functional use period	N/A
-----------------------	-----

Circularity:


■ System description

In cooperation between the Bundesbauministerium/Bundesinstitut für Bau-, Stadt- und Raumforschung (BBSR) and the German Sustainable Building Council e. V. (DGNB) the System "Bewertungssystem Nachhaltiges Bauen (BNB)" for federal buildings was developed. The BNB system evaluates buildings holistically on the basis of individual criteria within the categories Ecological Quality, Economic Quality, Sociocultural and Functional Quality, Technical Quality, Process Quality and Location Quality. Buildings can achieve a certification in Bronze, Silver and Gold.

Source: www.bnb-nachhaltigesbauen.de

■ System categories

Category Weighting



Category

Category considered in product verification

Environmental quality	Yes
Economic quality	No
Sociocultural quality	No
Technical quality	No
Process quality	No
Site quality	No

Source: BNB 2015

Detailed Verification

Self declared according to BNB BN 2015

Environmental Quality

1.1.1/1.1.2/1.1.3/1.1.4/1.1.5/1.2.1 Life Cycle Assessment (Updated on: 01.03.2017)

The product has an Environmental Product Declaration (EPD) which can be used to calculate the building life cycle assessment:

EGOSILICON 333	EPD available: Yes
----------------	--------------------

An environmental product declaration exists for the product:

EGOSILICON 333	Yes
----------------	-----

EPD Owner of the Declaration:

EGOSILICON 333	DBC, EFCC, FEICA, IVK
----------------	-----------------------

EPD Publisher:

EGOSILICON 333	Institut Bauen und Umwelt e.V. (IBU)
----------------	--------------------------------------

EPD Programme holder:

EGOSILICON 333	Institut Bauen und Umwelt e.V. (IBU)
----------------	--------------------------------------

EPD Declaration number:

EGOSILICON 333	EPD-DBC-20220179-IBF1-EN
----------------	--------------------------

EPD Issue date:

EGOSILICON 333	31.08.2022
----------------	------------

EPD valid to:

EGOSILICON 333	30.08.2027
----------------	------------

1.1.6 Local environmental impact (Updated on: 28.09.2017)

Achieved quality level in BNB Criteria 1.1.6 Local environmental impact for the entire product:

EGOSILICON 333	Quality level 3 of 5
----------------	----------------------

Achieved quality level in BNB Criterion 1.1.6 Local environmental impact:

EGOSILICON 333	Quality level 3
----------------	-----------------

Manufacturer statement regarding REACH is available:

EGOSILICON 333	Yes
----------------	-----

Row 8: On-site processed sealants, joint sealants, adhesives - Adhesives and sealants made of PU, SMP (silane-modified polymers), acrylate (including dispersion adhesives) or silicone

Achieved quality level in BNB 1.1.6 Row 8 for the entire product:

EGOSILICON 333	Quality level 3
----------------	-----------------

Achieved quality level in BNB 1.1.6 Row 8:

EGOSILICON 333	Quality level 3
----------------	-----------------

Adhesives and sealants - (PU, SMP, acrylate, dispersion, silicone) (BNB BN 2015 1.1.6 Row 8):

EGOSILICON 333	Yes
----------------	-----

The product is a PU adhesive:

EGOSILICON 333	No
----------------	----

Classification according to GISCODE:

EGOSILICON 333	no entry
----------------	----------

Free of polybrominated diphenyl ethers (= PBDE), , Polybromierte Biphenyle (= PBB) and Tris-(2-carboxyethyl)-phosphin (= TCEP):

EGOSILICON 333	Yes
----------------	-----

Free of chlorinated paraffins (CP):

EGOSILICON 333	Yes
----------------	-----

The product is a amine- or oxime-curing silicone:

EGOSILICON 333	Yes
----------------	-----

Certified RAL-UZ (Blue Angel) Standard:

EGOSILICON 333	no entry
----------------	----------

Certified EMICODE standard:

EGOSILICON 333	EMICODE EC1PLUS
----------------	-----------------

Certified with EMICODE EC1/EC1PLUS, EC1-R/EC1PLUS-R:

EGOSILICON 333	Yes
----------------	-----

Declaration of biocidal active substances present (if used):

EGOSILICON 333	Yes
----------------	-----

Free of biocidal:

EGOSILICON 333	Yes
----------------	-----

Row 9: On-site processed adhesives and sealants - Adhesives and sealants for the creation of airtightness on the facade inside and outside: z. B. PU, PU hybrid, MS polymer, SMP or similar

Achieved quality level in BNB 1.1.6 Row 9 for the entire product:

EGOSILICON 333	Quality level 5
----------------	-----------------

Achieved quality level in BNB 1.1.6 Row 9:

EGOSILICON 333	Quality level 5
----------------	-----------------

Adhesives and sealants (PU, PU hybrid, MS polymer, SMP or the like) - for making the façade airtight (BNB BN 2015 1.1.6 Row 9):

EGOSILICON 333	Yes
----------------	-----

VOC content:

EGOSILICON 333	≤ 0 g/l
----------------	---------

■ Contact Details Manufacturer

EGO Dichtstoffwerke GmbH & Co. Betriebs KG

Kaltenbrunn 27
82467 Garmisch-Partenkirchen
DE
<http://www.ego.de/>



■ Disclaimer

This verification is the evaluation and ranking of products in terms of the certification system BNB 2015 (New construction of office buildings). The BNB (Bewertungssystem Nachhaltiges Bauen) generally does not certify products. Therefore the project team or the manufacturer is responsible to declare compliance with respect to the BNB criteria. Notice: This verification is generated by the Assessment Service of BMS. The distribution or publication by third parties is not permitted. The data sheet is not a BNB certification document. The information is based on the manufacturer's specifications. Despite a diligent treatment of all information BMS can not make any warranties about the completeness, reliability and accuracy of this information. The requirements of BNB can be interpreted differently and depend on the project and scope of application. Therefore, BMS cannot accept any liability for the evaluation in terms of the BNB criteria. The user of the data sheet, the user / purchaser of the product and the consultant / planner, who is advising on this product has the duty to check the product for the intended application at their own responsibility. When a new version of this product verification is produced, the previous version loses its validity.