

# **Product Verification**

# Sustainability

Self declared according to BNB BN 2015

Product Systems

### **EGOSILICON 360**

### EGO Dichtstoffwerke GmbH & Co. Betriebs KG

EGOSILICONE 360 is a ready-to-use, high-quality, tested single-component silicone sealant that vulcanises through reaction with air humidity to form an elastic end product and is characterised by its high abrasion-resistance. The product is coloured and fungicidal. EGOSILICONE 360 is free of 2 methylkethyl ketone oximes (MEKO) and methylisobuthyl ketone oximes (MIBKO) and is characterised by improved smell. Abrasion-resistant window glazing, especially for windows with glazing bars, connection and expansion joints, concrete, plaster, masonry, metals, tensionfree plastics and painted/varnished timber.

EGOSILICONE 360 transparent fulfills the requirements according to EMICODE EC 1 PLUS.

https://www.ego.de/produkt/egosilicon360







# Environmental Quality Criteria Product Verification 1.1.1/1.1.2/1.1.3/1.1.4/1.1.5/1.2.1 Life Cycle Assessment (Updated on: 01.03.2017) EPD available: Yes 1.1.6 Local environmental impact (Updated on: 28.09.2017) Quality level 3 of 5 Legend: yes = Product contributes toward satisfying the credit, N/A = Product not relevant in the credit, no = Credit requirements are not proven

### Summary

### The product contributes to the certification:

- The product has an Environmental Product Declaration (EPD) which can be used to calculate the building life cycle assessment: EPD available: Yes
- Achieved quality level in BNB Criteria 1.1.6 Local environmental impact for the entire product: Quality level 3 of 5



AgBB tested

EPD Institut Bauen und Umwelt e.V.

French VOC-Label A+





EPD





ISO 14001 - Environmental Management System











### Ingredients:

Percentage of the product's composition, that is known to 100 wt% the chemical ingredient level

SVHC according REACH < 0,1 %: Yes Recycled content post-consumer: N/A

Recycled content pre-consumer: N/A

Free (< 0,1 %) of polybrominated diphenyl ethers (= Yes PBDE):

Free (< 0,1 %) of chlorinated paraffins (= CP inkl. SCCP, Yes MCCP, LCCP):

Free (< 0,1 %) of biocidal: No

VOC content according 2004/42/EG: o g/l

Content of solvents: 0 %

Free (< 0,1 %) of hydrocarbon (KWS) plasticizer: Yes

Content of VOC: 0 %

To what level of detail is the product composition known? 100 ppm

VOC content according 2004/42/EG: o g/m2

Rapidly renewable content N/A

Non renewable virgin raw material content N/A

Free (< 0,1 %) of polybrominated biphenyls (= PBB): Yes

Free (< 0,1 %) of hexabromocyclododecane (= HBCD): Yes

Free (< 0,1 %) of tris (2-carboxyethyl) phosphine (= TCEP): Yes

Free (< 0,1 %) of lead: Yes



Free (< 0,1 %) of cadmium: Yes Free (< 0,1 %) of chromium-VI compounds: Yes Free of solvent according to VdL-RLo1: Yes Free (< 0,1 %) of aromatic compounds: Yes Free (< 0,1 %) from halogenated propellants: Yes Free (< 0,1 %) of tin: Yes Free (< 0,1 %) of halogenated flame retardants: Yes Free (< 0,1 %) of halogens: Yes Free of plasticizer according to VdL-RLo1: Yes

### Manufacturer:

Environmental Management System according ISO 14001: Yes

Are reverse logistics in place for the product? No

Final manufacturing location of the product: latitude 47.490138178497375 ° DDD Final manufacturing location of the product: longitude 11.177818534416659 ° DDD

### **Emissions:**

Formaldehyde emissions after 28 days according DIN EN 0.002 mg/m³ 717-1:

R-Value according to AgBB: N/A

TVOC after 3 days according ISO 16000-3 / AgBB: N/A

TVOC after 28 days according ISO 16000-3 / AgBB: N/A

SVOC after 3 days according ISO 16000-3 / AgBB: N/A

SVOC after 28 days according ISO 16000-3 / AgBB: N/A

Carcinogens 1A and 1B after 3 days according ISO-16000 N/A / AgBB:

Carcinogens 1A and 1B after 28 days according ISO-16000  $\,$  0.001 mg/m³ / AgBB:

## Circularity:

Has the product been designed for reuse, refurbishment or remanufacturing?

Is the product designed for a recycling of equal quality?

No Was the product designed for biodegradation?

No Product was designed with cycling in mind.

No Was the product designed for clean incineration?

No Was the Product designed for emission or direct No dispersal?





Was the product specifically designed for clean and rapid No disassembly?

# Life Cycle Assessment:


Functional use period N/A



### System description

In cooperation between the Bundesbauministerium/Bundesinstitut für Bau-, Stadt- und Raumforschung (BBSR) and the German Sustainable Building Council e. V. (DGNB) the System "Bewertungssystem Nachhaltiges Bauen (BNB)" for federal buildings was developed. The BNB system evaluates buildings holistically on the basis of individual criteria within the categories Ecological Quality, Economic Quality, Sociocultural and Functional Quality, Technical Quality, Process Quality and Location Quality. Buildings can achieve a certification in Bronze, Silver and Gold.

Source: www.bnb-nachhaltigesbauen.de





# **Detailed Verification**

Self declared according to BNB BN 2015

E 20.1	ironr		$\cap$	100

### 1.1.1/1.1.2/1.1.3/1.1.4/1.1.5/1.2.1 Life Cycle Assessment (Updated on: 01.03.2017)

The product has an Environmental Product Declaration (EPD) which can be used to calculate the building life cycle assessment:

assessment.		
EGOSILICON 360	EPD available: Yes	
An environmental product declaration exists for the product:		
EGOSILICON 360	Yes	
EPD Owner of the Declaration:		
EGOSILICON 360	DBC, EFCC, FEICA, IVK	
EPD Publisher:		
EGOSILICON 360	Institut Bauen und Umwelt e.V. (IBU)	
EPD Programme holder:		
EGOSILICON 360	Institut Bauen und Umwelt e.V. (IBU)	
EPD Declaration number:		
EGOSILICON 360	EPD-DBC-20220180-IBF1-EN	
EPD Issue date:		
EGOSILICON 360	31.08.2022	
EPD valid to:		
EGOSILICON 360	30.08.2027	

### 1.1.6 Local environmental impact (Updated on: 28.09.2017)

Achieved quality level in BNB Criteria 1.1.6 Local environmental impact for the entire product:

EGOSILICON 360 Quality level 3 of 5

Achieved quality level in BNB Criterion 1.1.6 Local environmental impact:

EGOSILICON 360 Quality level 3



Manufacturer statement regarding REACH is available:

EGOSILICON 360 Yes

Row 8: On-site processed sealants, joint sealants, adhesives - Adhesives and sealants made of PU, SMP (silane-modified polymers), acrylate (including dispersion adhesives) or silicone

Achieved quality level in BNB 1.1.6 Row 8 for the entire product:

EGOSILICON 360 Quality level 3

Achieved quality level in BNB 1.1.6 Row 8:

EGOSILICON 360 Quality level 3

Adhesives and sealants - (PU, SMP, acrylate, dispersion, silicone) (BNB BN 2015 1.1.6 Row 8):

EGOSILICON 360 Yes

The product is a PU adhesive:

EGOSILICON 360

Classification according to GISCODE:

EGOSILICON 360 no entry

Free of polybrominated diphenyl ethers (= PBDE), , Polybromierte Biphenyle (= PBB) and Tris-(2-carboxyethyl)-phosphin (= TCEP):

EGOSILICON 360 Yes

Free of chlorinated paraffins (CP):

EGOSILICON 360 Yes

The product is a amine- or oxime-curing silicone:

EGOSILICON 360 Yes

Certified RAL-UZ (Blue Angel) Standard:

EGOSILICON 360 no entry

Certified EMICODE standard:

EGOSILICON 360 no entry

Certified with EMICODE EC1/EC1PLUS, EC1-R/EC1PLUS-R:

EGOSILICON 360 No

Declaration of biocidal active substances present (if used):

EGOSILICON 360 Yes



Free of biocidal:

EGOSILICON 360	No
----------------	----

Row 9: On-site processed adhesives and sealants - Adhesives and sealants for the creation of airtightness on the facade inside and outside: z. B. PU, PU hybrid, MS polymer, SMP or similar

Achieved quality level in BNB 1.1.6 Row 9 for the entire product:

EGOSILICON 360	Quality level 5	

Achieved quality level in BNB 1.1.6 Row 9:

EGOSILICON 360	Quality level 5
----------------	-----------------

Adhesives and sealants (PU, PU hybrid, MS polymer, SMP or the like) - for making the façade airtight (BNB BN 2015 1.1.6 Row 9):

VOC content:

EGOSILICON 360	≤ 0 g/l
----------------	---------



### Contact Details Manufacturer

### EGO Dichtstoffwerke GmbH & Co. Betriebs KG

Kaltenbrunn 27 82467 Garmisch-Partenkirchen DE



### Disclaimer

This verification is the evaluation and ranking of products in terms of the certification system BNB 2015 (New construction of office buildings). The BNB (Bewertungssytem Nachhaltiges Bauen) generally does not certify products. Therefore the project team or the manufacturer is responsible to declare compliance with respect to the BNB criteria. Notice: This verification is generated by the Assessment Service of BMS. The distribution or publication by third parties is not permitted. The data sheet is not a BNB certification document. The information is based on the manufacturer's specifications. Despite a diligent treatment of all information BMS can not make any warranties about the completeness, reliability and accuracy of this information. The requirements of BNB can be interpreted differently and depend on the project and scope of application. Therefore, BMS cannot accept any liability for the evaluation in terms of the BNB criteria. The user of the data sheet, the user / purchaser of the product and the consultant / planner, who is advising on this product has the duty to check the product for the intended application at their own responsibility. When a new version of this product verification is produced, the previous version loses its validity.